



Catalogue
FOOD SERVICE
Chapter
COOKING

Specific model
C-E710 400V 3N

19068530

04/09/2023

DENOMINATION:

Countertop electric solid top with 4 cooking zones, 700 range.

DESCRIPTION :


"- Pressed surface tops manufactured in 1.5 mm thick AISI-304 stainless steel, with rounded edges, designed to prevent spilled liquid from pans from entering the interior of the oven.

- Stamped surface top with rounded corners for easy cleaning.
- Laser-cut joints, automatic welding and polishing. Hidden screws.
- "Solid top" model with four elements underneath the 16 mm-thick, 13CrMo4 plate, distributed so that they independently heat the four quarters of the plate. Solid-top dimensions: 720 x 455 mm.
- Power control with 7 positions for each heating element which makes it possible to work with different temperature gradients on the plate.
- 2.6 kW heating power for each heat point.
- Protection in the event of overheating of each heat source.
- Thermostat that activates the cooling fan for the electric components.
- Safety thermostat that ensures that the machine does not operate in the event of the overheating of the components.
- High-temperature enamelled cast iron flue protector.
- Access to components from the front.
- Easy connection and compliant with health standards.
- Machines with IPX5 grade water protection.

POSSIBLE ACCESSORIES :

- ACCESSORIES KORE
- STANDS 700
- TALL CHIMNEY KORE

DIMENSIONS



X Width	800 mm	X Gross width	840 mm
Y Depth	730 mm	Y Gross depth	822 mm
Z Height	290 mm	Z Gross height	535 mm
Net Weight	85,0 kg	Gross Weight	103,0 kg
Net volume	0,170 m3	Gross volume	0,369 m3

ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	10,400 kW
Amperage (A)	15,1A
Heating power	10,40 kW
Voltage	400V - 3N
Electric frequency	50/60Hz

CONNECTIONS TECHNICAL SPECIFICATIONS

230 V three-phase wiring	3X6MM2+T - 32A
Single-phase 230V wiring	2X10MM2+T - 63A
Three-phase +N 400V wiring	3X2,5MM2+T+N - 20A
Drain 1 diameter	25





Catalogue
FOOD SERVICE
Chapter
COOKING

Specific model
C-E710 400V 3N

19068530

04/09/2023

C-E710



E. Conexión eléctrica
D. Desagüe
1. Mando placas M

Electrical connection
Drain
M plates control