



COMMERCIAL SLICER GGS-350

Blade Ø 350 mm.



DYNAMIC PREPARATION
COMMERCIAL SLICERS

SPECIFICATIONS

Blade diameter: 350 mm
Cutting capacity: 200 mm x 250 mm
Slice thickness: 0 mm - 14 mm
Carriage run: 335 mm

Total loading: 250 W
IP Protection grade: 40

External dimensions (W x D x H)

- ✓ Width: 540 mm
- ✓ Depth: 690 mm
- ✓ Height: 500 mm

Net weight: 33 kg

Crated dimensions
600 x 800 x 750 mm
Gross weight: 39 kg

AVAILABLE MODELS

5051056	Slicer GGS-350 230/50/1
5051057	Slicer GGS-350 220/60/1
5051064	Slicer GGS-350 230-400/50/3
5051073	Slicer GGS-350 120/60/1

* Ask for special versions availability

SALES DESCRIPTION

Gear-driven slicer.

Gear-driven commercial slicer.

- ✓ Slicer fully made of high-polished aluminium protected against anodic oxidation.
- ✓ Professional slicer with ring, carriage lock and blade removal tool.
- ✓ High-powered ventilated motor.
- ✓ Decimal thickness adjustment from 0 to 16 mm.
- ✓ Plate mounted on self-lubricating bushings and bearings.
- ✓ Built-in precision sharpener.
- ✓ Luminous double on/off 24V switch.
- ✓ Safety print.
- ✓ Easy cleaning.



sammic | www.sammic.com
Food Service Equipment Manufacturer

Polígono Basarte, 1. phone +34 943 15 72 36
20720 Azkoitia, Spain sales@sammic.com



Project	Date
Item	Qty

Approved

product sheet
updated 29/11/2024