



Ovens

# Features and characteristics

A new era of intelligent cooking



## User experience

### A chef centred design

Designed all through with the professionals' needs in mind, making it the perfect balance of quality, efficiency and comfort.



## Smart cooking

### It's intelligence, not magic

Powered by digital and technological intelligence to standardise the culinary processes in the most efficient way thanks to iCooking, Additional functions and Multitray.



## Robust design

### Built to last

The structure is 100% stainless steel and IPX5 protection, to face any culinary challenges with the highest demanding standards.



## Food safety

### Hygiene, above all

HACCP system, renewal of the inner water tank every 24h, 6-level automatic cleaning and more, to always guarantee the wellbeing of the consumer.



Open access through MyFagor



## Climate control

### Your desired cooking results

Complete precision in the cooking chamber due to the humidity sensor and uniform heat distribution with a 6-speed two-way ventilation system.



## FagorKconnect

### Connected for a maximum performance


Connected to ease, supervise and manage the daily work with a realtime vision and in a remote way.

**\*Standard in Advance models.**



# Nomenclature

iKORE ovens



ADVANCE

## iKORE 101

## PureSteam or DirectSteam

FagorTouch  
10.1"

## General information

FIELD	DATA	Version	
		ELECTRIC (E)	NATURAL GAS (G)
Capacity (standard)	Racks and tray type	10 GN1/1	10 GN1/1
	Spacing between rack rails	68mm	68mm
Energy supply (standard)	Electric / gas power	18,6 kW	0,83 kW / 18 kW
	Frecuency	50/60 Hz	50 Hz
	Voltage	380-415V 3N	230V 1N
	Width	895mm	895mm
Dimensions and weight	Depth (with handle)	817mm (883mm)	817mm (883mm)
	Gas with boiler versions	-	922mm (988mm)
	Height (with hinge)	1117mm (1149mm)	1117mm (1149mm)
	Net weight (gross)	~139Kg (174Kg)	~162Kg (197Kg)

## Codes and prices

HUMIDITY	WASHING	SHOWER	MODEL	CODE	€	CODE	€
PureSteam boiler	Solid iWash	•	APW-101-(E/G) R SW S K	19078668	-	19088215	-
		-	APW-101-(E/G) R SW K	19107006	-	19107007	-
DirectSteam injection	Solid iWash	•	AW-101-(E/G) R SW S K	19103817	-	19107008	-
		-	AW-101-(E/G) R SW K	19078671	-	19088214	-


























## Configurable options

OPTION	NAMING	DESCRIPTION	CONF. CODE	€
Opening	L	Inverted opening with door hinge on left-hand side	0103-0001	-
Washing	LW*	Liquid iWash *Only available for models with W	0104-0002	-

VOLTAGE OPTIONS	CÓD. CONFIG.	€
230V 3~ 50/60Hz	0102-0021	-
Marine 440V 3~ 50/60Hz	0102-0023	-
230V 1N 60Hz	0102-0027	-
230V 2~ 50Hz	0102-0028	-
230V 2~ 60Hz	0102-0029	-

GAS OPTIONS	CONF. CODE	€
Butane-Propane LPG	0101-0001	-
Town gas TG	0101-0002	-


Accessories 101


EXTRACTION	MODEL	CONDENSATION HOOD	ACTIVATED CARBON FILTER	LEFT OPENING (L)	HEIGHT (mm)				CODE	€
	EXH-11	x	-	-	303	x	-	-	19085190	-
	EXH-11 L	x	-	x	303	x	-	-	19103220	-
	EXH-11-CA	x	x	-	363	x	-	-	19103393	-
	EXH-11-CA L	x	x	x	363	x	-	-	19104232	-
	FCA	Replacement for activated carbon filter of EXH-11 CA				x	-	-	19107067	-
	Kit EXT-11	Extraction kit for EXH-11 hoods				x	-	-	19096417	-
	Kit CTG-11	Flue gas exhaust stack for 061 ovens				-	x	x	19095581	-
STANDS	MODEL	RACKS (SPACING)	WHEELS	DOORS	HEIGHT (mm)				CODE	€
	SH-11-65	-	-	-	650	x	x	-	19082326	-
						-	-	x	19082327	
	SH-11-65 R	-	x	-	650	x	x	-	19083237	-
						-	-	x	19083234	
	SH-11-65 B	2 x 6 GN1/1 (68mm)	-	-	650	x	x	-	19082006	-
						-	-	x	19082005	
	SH-11-65 BR	2 x 6 GN1/1 (68mm)	x	-	650	x	x	-	19083238	-
						-	-	x	19083239	
	SH-11- 65 BCP	2 x 6 GN1/1 (68mm)	-	x	650	x	x	-	19079211	-
						-	-	x	19079233	
	SH-11-85	-	-	-	850	x	x	-	19103370	-
						-	-	x	19103413	
	SH-11-85 R	-	x	-	850	x	x	-	19103373	-
						-	-	x	19103415	
	SH-11-85 B	2 x 6 GN1/1 (68mm)	-	-	850	x	x	-	19103369	-
						-	-	x	19103442	
	SH-11-85 BR	2 x 6 GN1/1 (68mm)	x	-	850	x	x	-	19103381	-
						-	-	x	19103443	
STRUCTURES	MODEL	RACKS (SPACING)							CODE	€
	EB-101*	Mobile rack for 10 GN1/1 trays (62mm)				x	x	x	19011561	-
	EP-101*	Mobile rack for 30 plates Ø31 (64mm)				x	x	x	19013354	-
		* GE-11 and CP-11(-R) required								
TROLLEYS	MODEL	DESCRIPTION							CODE	€
	GE-11	Structure rack for EB-061 and EP-061				x	x	x	19011569	-
	CP-11	Structure support trolley for oven on SH-11-65				x	x	x	19013352	-
	CP-11-R	Adjustable structure support trolley for oven on SH-11				x	x	x	19018752	-
PLINTH	MODEL	DESCRIPTION							CODE	€
	Kit Z-11	Plinth kit				x	x	-	19087303	-
						-	-	x	19087305	

x Included - Not included

For more accessories, check 'other accessories' chapter

 For electric ovens only

 For gas ovens only

 Only for gas ovens with boiler: APW-101-G