



Catalogue FOOD SERVICE Chapter COOKING

Specific model B-G7051 LPG

19078909

DIMENSIONS

04/09/2023

١Z

LPG gas grill floor model, cast iron grill, half module, 700 range.
DESCRIPTION :
 Stamped surface tops manufactured in 1.5 mm thick AISI-304 stainless steel Laser-cut joints and automatic welding. Hidden screws. Fitted with an opening to collect cooking grease and a tray to store
 it. Machines are fitted with removable 130 mm high guards to prevent splashes, made of stainless steel.
 High temperature enamelled cast iron flue protector. Access to the components from the front.
 Machines with IPX5 grade water protection. Mild steel grills, dismountable without the need for tools, in 170 mm wide sections.
- The mild steel grills are reversible, with different finishes on each side:
Tilted and grooved with ridges for meat Horizontal and flat for fish and vegetables
 These grills reach a very high temperature (400 °C), meaning that the surface of the product is quickly sealed and inside it remains much juicier.
- Groups of three high-efficiency tube burners, with a radiant deflector (a group of three burners for halfsized module models, two groups for whole module models).
- Independent control for each group of burners via a safety valve with

- Independent control for each group of burners via a safety valve with a thermocouple.

- Burners turned on using electric multispark ignition. With an access tube for manual ignition.

- The fat collection trays provide the option of adding water into them, and thanks to heat radiated from the gas burners or

electrical elements, a low intensity steam is generated, causing the roast to be carried out in a humid environment.

POSSIBLE ACCESSORIES :

- ACCESSORIES FOR CHARCOALS KORE

- KORE WHEELS

(%)

 (\mathbb{M})

 (Δ^{c})

DENOMINATION:

- TALL CHIMNEY KORE

SUPPLIED ACCESSORIES:

- 19045084 Scraper for charcoal with FE grill Kore generation 1

 (\triangle)

(*)

			Y٢
X Width	400 mm	X Gross width	422 mm
Y Depth	730 mm	Y Gross depth	840 mm
Z Height	850 mm	Z Gross height	1255 mm
Net Weight	52,0 kg	Gross Weight	65,0 kg
Net volume	0,320 m3	Gross volume	0,445 m3

ELECTRICITY TECHNICAL SPECIFICATIONS

Voltage	N/A - N/A
GAS TECHNICAL SPECIFICATIONS	
Gas type	LPG
Gas power	8,10 kW
Gas consumption	0,638 kg/h
Regulated	LPG G30/G31 28-30/37 mbar
	NG G20/G25/G25.1 20/25/25 mbar

www.fagorprofessional.com






Catalogue FOOD SERVICE Chapter COOKING


Specific model B-G7051 LPG

19078909


04/09/2023

<u>B-G7051</u>






<u>B-G7101</u>



- G Entrada de Gas
- D Desagüe
- 1 Grifo válvula de gas
- 2 Pulsador de encendido



Gas Inlet Drainage Gas valve tap Piezoelectric ignitor



www.fagorprofessional.com