according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GREASE SUPERCLEAN C UFI : PW49-4089-R00H-MAG5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com

E-mail address Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)551-19240

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Long-term (chronic) aquatic hazard, Category

H412: H

H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P280 Wear protective gloves/ eye protection/ face



WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331 İF SWALLOWED: Rinse mouth. Do NOT induce

vomiting.

P310 Immediately call a POISON CENTER/ doctor.

Disposal:

P501 Please empty container before recycling.

Safety data sheet available on request.

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated (7 EO)	68439-50-9 500-213-3	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 20 - < 25
		M-Factor (Acute aquatic toxicity): 1	
		specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 > 1 - 10 %	
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 10 - < 15
Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)	90622-74-5 292-477-9 01-2119489409-22	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 2; H411	>= 5 - < 10



WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

General advice Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Irritation

Risks No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment For specialist advice physicians should contact the Poisons

Information Service.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the application

area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against fire :

and explosion

Use explosion-proof equipment.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Store in cool place. Store at room

temperature in the original container.

Further information on storage

stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

 Version 5.10
 Revision Date 12.03.2025
 Print Date 16.10.2025

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Skin contact	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Consumers	Skin contact	Long-term systemic effects	319 mg/kg
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
Amides, C12-18 and C18-unsatd., N,N- bis(hydroxyethyl)	Workers	Skin contact	Long-term systemic effects	4,16 mg/kg
	Workers	Inhalation	Long-term systemic effects	73,4 mg/m3
	Workers	Skin contact	Long-term local effects	0,09 mg/cm2
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg
	Consumers	Inhalation	Long-term systemic effects	21,73 mg/m3
	Consumers	Ingestion	Long-term systemic effects	6,25 mg/kg
	Consumers	Skin contact	Long-term local effects	0,056 mg/cm2

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140,9 mg/l

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

M 0712949	Order number: 0712949	
ersion 5.10	Revision Date 12.03.2025	Print Date 16.10.2025
	Marine water	140,9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	intermittent release	140,9 mg/l
	STP	2251 mg/l
	Oral	160 mg/kg
Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)	Fresh water	0,007 mg/l
	Marine water	0,0007 mg/l
	Fresh water sediment	0,161 mg/kg
	Soil	0,28 mg/kg
	STP	830 mg/l
	intermittent release	0,024 mg/l
	Marine sediment	0,0161 mg/kg
1,2,3-Propanetricarboxylic acid, 2-hydroxy-, trisodium salt, dihydrate	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	STP	1000 mg/l
	Fresh water sediment	34,6 mg/kg
	Marine sediment	3,46 mg/kg
	Soil	33,1 mg/kg

# 8.2 Exposure controls

Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection



WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if,

accordingly to the recommendations of the producer, guarantee the

same level of protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless
Odour : characteristic
Melting point/freezing point : No data available

Boiling point/boiling range : No data available
Flammability (solid, gas) : No data available

Flammability (liquids) : Not classified as supporting combustion according to the transport

regulations.

Lower explosion limit : No data available
Upper explosion limit : No data available

Flash point : 36 °C

Ignition temperature : No data available
Decomposition temperature : No data available

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

pH : ca. 13, 1 %

at 20 °C

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available

Density : ca. 1,006 g/cm3 at 20 °C

Relative density : No data available
Relative vapour density : No data available
Particle characteristics : No data available

#### 9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat

10.5 Incompatible materials

Materials to avoid : No data available

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients.

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### **Acute toxicity**

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Acute oral toxicity : LD50 Oral (Rat): 300 - 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

propan-2-ol

67-63-0:

Acute oral toxicity : LD50 Oral (Rat): 5.840 mg/kg

Method: OECD Test Guideline 401

LD50 Oral (Rat): 4.570 mg/kg

LD50 Oral (Rat): 5.045 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 47,5 mg/l

Exposure time: 8 h

Method: OECD Test Guideline 403

LC50 (Rat): 72,6 mg/l Exposure time: 4 h

LC50 (Mouse): 27,2 mg/l Exposure time: 4 h

LC50 (Rat): 25 mg/l Exposure time: 6 h

Method: OECD Test Guideline 403

LC50 (Rat): 30 mg/l Exposure time: 4 h

LC50 (Rat): 10000 ppm Exposure time: 6 h

Acute dermal toxicity : LD50 (Rabbit): 12.800 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): 12.870 mg/kg Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): 13.900 mg/kg Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): 13.400 mg/kg

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation in susceptible persons.

**Components:** 

propan-2-ol 67-63-0:

Species : Rabbit

Result : No skin irritation

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Result : Skin irritation

Serious eye damage/eye irritation

**Product:** 

Remarks : May cause irreversible eye damage.

Causes serious eye irritation.

**Components:** 

propan-2-ol

67-63-0:

Species : Rabbit Result : irritating

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

**Product:** 

Remarks : No data available

**Components:** 

propan-2-ol

67-63-0:

Test Type : Buehler Test

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Species : Guinea pig

Result : Does not cause skin sensitisation.

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Result : Not a skin sensitizer.

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated (7 EO)

68439-50-9:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

propan-2-ol

67-63-0:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Aspiration toxicity : Not Rated

11.2 Information on other hazards

**Further information** 

**Product:** 

Remarks : No data available

according to Regulation (EC) No. 1907/2006, as amended



### **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14. ethoxylated

68439-50-9:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l

Exposure time: 96 h
Test Type: flow-through test

Method: OECD Test Guideline 203

LC50 (Fish): > 1 mg/l Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0,1 - 1 mg/l

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria): 140 mg/l

Toxicity to soil dwelling

organisms

220 mg/kg

Species: Eisenia fetida (earthworms)

Plant toxicity : 10 mg/l

Species: Lepidium sativum (cress) Method: see user defined free text

propan-2-ol 67-63-0:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.400 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13.299 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202



WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

EC50 (Daphnia magna (Water flea)): 9.714 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

(Daphnia (water flea)): > 10.000 mg/l Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 30 mg/l

Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 10.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants IC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

GLP: no

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l

Exposure time: 72 h

EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to microorganisms EC50 (Aliivibrio fischeri): 17.700 mg/l

Exposure time: 5 min

EC10 (Pseudomonas putida): 5.175 mg/l

Exposure time: 18 h Method: DIN 38412

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Toxicity to fish LC50 (Brachydanio rerio): > 1 - 10 mg/l

Method: ISO 7346/2

Toxicity to microorganisms EC0 (Pseudomonas putida): > 100 mg/l

Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) NOEC: > 0,1 - 1 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other

aquatic invertebrates (Chronic

toxicity)

NOEC: > 0.01 - 0.1 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea)

#### 12.2 Persistence and degradability

#### **Product:**

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

#### Components:

Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14. ethoxylated

68439-50-9:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A

Result: rapidly biodegradable Biodegradation: > 60 % Exposure time: 28 d Method: OECD 301 B

propan-2-ol 67-63-0:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 95 % Exposure time: 21 d Method: OECD 301 E

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 53 % Exposure time: 5 d

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 10 d

GLP: no

Biodegradation: 99,9 %

Method: see user defined free text

Chemical Oxygen Demand

(COD)

2,32 g/kg

ThOD : 2,40 g/g

Amides, C12-18 and C18-unsatd., N,N-bis(hydroxyethyl)

90622-74-5:

Biodegradability : Result: Readily biodegradable.

#### 12.3 Bioaccumulative potential

**Components:** 

propan-2-ol 67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n- : log Pow: 0,05

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

octanol/water

#### 12.4 Mobility in soil

#### **Components:**

propan-2-ol 67-63-0:

Distribution among : Koc: 25

environmental compartments Remarks: Highly mobile in soils

### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This mixture contains no substance considered to be persistent,

bioaccumulating and toxic (PBT).. This mixture contains no

substance considered to be very persistent and very bioaccumulating

(vPvB).

Components:

propan-2-ol 67-63-0:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT).

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or

the soil.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

SILE/IOE GOI ENGLE/III G			
WM 0712949	Order number: 0712949		
Version 5.10	Revision Date 12.03.2025	Print Date 16.10.2025	
Waste Code	European Waste Catalogue 20 01 29* According to the European Waste Cata product specific, but application specific assigned by the user, preferably in disc disposal authorities.	c. Waste codes should be	

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

### 14.4 Packing group

**ADR** 

Not dangerous goods

**IMDG** 

Not dangerous goods

IATA

Not dangerous goods

#### 14.5 Environmental hazards

ADR

Not dangerous goods

**IMDG** 

Not regulated as a dangerous good

**IATA** 

Not dangerous goods

#### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and : Not applicable the Council concerning the export and import of dangerous

chemicals

according to Regulation (EC) No. 1907/2006, as amended



# **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

: Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident

hazards involving dangerous substances.

Quantity 1 Quantity 2

P5c FLAMMABLE LIQUIDS 5.000 000067 50.000 000067

TA Luft List (Germany) : Total dust: Not applicable

: Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable
Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 10,16 %

192,59 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

: Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 10,16 %

102,19 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 >=30% non-ionic surfactants, 5 - <15% soap, perfumes

GISBAU (D) : GU 80

#### 15.2 Chemical safety assessment

There is no data available for this product.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

according to Regulation (EC) No. 1907/2006, as amended



### **GREASE SUPERCLEAN C**

WM 0712949 Order number: 0712949

Version 5.10 Revision Date 12.03.2025 Print Date 16.10.2025

Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 On basis of test data.

Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000002901