

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : INOXOL COMPLETE
UFI : P576-40PQ-000E-EGHY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

Additional Labelling:

Safety data sheet available on request.

2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	01-2119472146-39	Flam. Liq. 3; H226 Asp. Tox. 1; H304	>= 5 - < 10
Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated	677026-24-3 932-102-4 Nicht relevant (Polymer)	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 2 - < 2,5

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations", Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
No special handling advice required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.
Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	220 mg/kg
	Exposure time: 8 h			
	Consumers	Ingestion	Long-term systemic effects	40 mg/kg
	Consumers	Skin contact	Long-term systemic effects	92 mg/kg
	Consumers	Inhalation	Long-term systemic effects	35 mg/m3

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: white
Odour	: characteristic
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: > 80 °C
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 6,0, 100 % at 20 °C
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapour pressure	: No data available
Density	: 0,935 g/cm ³

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Relative density : No data available
Relative vapour density : No data available
Particle characteristics : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Acute toxicity : Not Rated

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

Kohlenwasserstoffe, C11-C12, Isoalkane, <2% Aromaten:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 4,951 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Acute dermal toxicity : LD50 Dermal: > 2.000 mg/kg

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated

677026-24-3:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated

677026-24-3:

Species : Rabbit
Method : OECD Test Guideline 404
Result : irritating
Remarks : Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated

677026-24-3:

Species : Rabbit
Method : OECD Test Guideline 405
Remarks : slight irritation

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated

677026-24-3:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
Remarks : Did not cause sensitisation on laboratory animals.

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated

677026-24-3:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

Kohlenwasserstoffe, C11-C12, Isoalkane, <2% Aromaten:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR: 0,209 mg/l
Exposure time: 28 d

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

Species: Fish

Toxicity to daphnia and other
aquatic invertebrates (Chronic
toxicity)

: NOEC: 0,011 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)

NOELR: > 1 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated, C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated, Alcohols, C16-18 and C18-unsatd., ethoxylated, propoxylated (>2.5 moles EO/PO)

677026-24-3:

Toxicity to fish

: LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other
aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 0,1 - 1 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants

: EC50 (Desmodesmus subspicatus (green algae)): > 0,1 - 1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): > 0,1 - 1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to microorganisms

: EC10 (Pseudomonas putida): > 2.000 mg/l
Exposure time: 5,33 h
Test Type: Respiration inhibition

Toxicity to soil dwelling
organisms

: LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Plant toxicity

: EC0: > 100 mg/kg
End point: Growth inhibition
Species: Brassica alba (mustard)
Method: OECD 208

EC0: > 100 mg/kg
End point: Growth inhibition
Species: Triticum aestivum (wheat)
Method: OECD 208

EC0: > 100 mg/kg
End point: Growth inhibition
Species: Lepidium sativum (cress)
Method: OECD 208



INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

12.2 Persistence and degradability

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated, C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated, Alcohols, C16-18 and C18-unsatd., ethoxylated, propoxylated (>2.5 moles EO/PO)

677026-24-3:

Biodegradability

: Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD Test Guideline 301A
Remarks: The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated, C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated, Alcohols, C16-18 and C18-unsatd., ethoxylated, propoxylated (>2.5 moles EO/PO)

677026-24-3:

Bioaccumulation

: Bioconcentration factor (BCF): 500
Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated, C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated, Alcohols, C16-18 and C18-unsatd., ethoxylated, propoxylated (>2.5 moles EO/PO)

677026-24-3:

Distribution among
environmental compartments

: Adsorption/Soil
log K_{oc}: 3,722
Remarks: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components:

Alcohols, C16-18 and C18-unsatd., ethoxylated propoxylated, C16-18 Alcohol, C18-unsat., ethoxylated, propoxylated, Alcohols, C16-18 and C18-unsatd., ethoxylated, propoxylated (>2.5 moles EO/PO)

677026-24-3:

Assessment

: This substance is not considered to be very persistent and very

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: In accordance with local and national regulations.
Contaminated packaging	: Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste Code	European Waste Catalogue 20 01 29* According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: Not applicable
: Organic Substances: : portionClass 1: 25 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Update: Percent volatile: 9,92 %
205,73 g/l
VOC content excluding water

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Update: Percent volatile: 9,92 %
92,75 g/l
VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : $\geq 30\%$ aliphatic hydrocarbons, 5 - $<15\%$ non-ionic surfactants, METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH
Werner & Mertz Group

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

GISBAU (D) : no assignment possible

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H400	: Very toxic to aquatic life.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH
Werner & Mertz Group

INOXOL COMPLETE

WM 1113792

Order number: 0713792

Version 4.16

Revision Date 12.03.2025

Print Date 16.10.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

500000003925