

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : GREASE QUICKKLIKS  
UFI : 2059-M0XQ-2000-8P27

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)551-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

##### Prevention:

P260 Do not breathe spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear eye protection.

##### Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

rinsing. Immediately call a POISON CENTER/  
doctor.

Safety data sheet available on request.

### Classification in use concentration

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                                         | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number     | Classification                                                                                                                                                                                                               | Concentration<br>(% w/w) |
|-------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Alcohols, C12-14, ethoxylated (7 EO)                  | 68439-50-9<br>500-213-3                                   | Acute Tox. 4; H302<br>Eye Dam. 1; H318<br>Aquatic Chronic 3;<br>H412<br><br>M-Factor (Acute aquatic<br>toxicity): 1<br><br>specific concentration<br>limit<br>Eye Dam. 1; H318<br>> 10 %<br>Eye Irrit. 2; H319<br>> 1 - 10 % | >= 5 - < 10              |
| 2,2'-methyliminodiethanol                             | 105-59-9<br>203-312-7<br>603-079-00-5<br>01-2119488970-24 | Eye Irrit. 2; H319                                                                                                                                                                                                           | >= 5 - < 10              |
| Decanol, ethoxylated                                  | 26183-52-8<br>500-046-6                                   | Eye Irrit. 2; H319<br>Acute Tox. 4; H302                                                                                                                                                                                     | >= 2 - < 5               |
| ethanol                                               | 64-17-5<br>200-578-6<br>603-002-00-5<br>01-2119457610-43  | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br><br>specific concentration<br>limit<br>Eye Irrit. 2; H319<br>>= 50 %                                                                                                             | >= 2 - < 5               |
| D-Glucopyranose, oligomers, decyl<br>octyl glycosides | 68515-73-1<br>500-220-1                                   | Eye Dam. 1; H318                                                                                                                                                                                                             | >= 2 - < 3               |

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

|  |                  |                                                                                             |  |
|--|------------------|---------------------------------------------------------------------------------------------|--|
|  | 01-2119488530-36 | specific concentration<br>limit<br>Eye Dam. 1; H318<br>> 10 %<br>Eye Irrit. 2; H319<br>10 % |  |
|--|------------------|---------------------------------------------------------------------------------------------|--|

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas : Store in original container. Keep container tightly closed in a dry and

## GREASE QUICKKLIKS

**WM 0714728**

**Order number: 0714728**

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

and containers

well-ventilated place. Store at room temperature in the original container.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

| Substance name            | End Use   | Exposure routes | Potential health effects   | Value      |
|---------------------------|-----------|-----------------|----------------------------|------------|
| 2,2'-methyliminodiethanol | Workers   | Inhalation      | Long-term systemic effects | 7,9 mg/m3  |
|                           | Workers   | Dermal          | Long-term systemic effects | 5,6 mg/kg  |
|                           | Consumers | Inhalation      | Long-term systemic effects | 0,4 mg/m3  |
|                           | Consumers | Dermal          | Long-term systemic effects | 0,67 mg/kg |
|                           | Consumers | Oral            | Long-term systemic effects | 0,13 mg/kg |
| ethanol                   | Workers   | Inhalation      | Acute local effects        | 1900 mg/m3 |
|                           | Workers   | Inhalation      | Long-term systemic effects | 950 mg/m3  |
|                           | Workers   | Skin contact    | Long-term systemic effects | 343 mg/kg  |
|                           | Consumers | Inhalation      | Acute local effects        | 950 mg/m3  |
|                           | Consumers | Skin contact    | Long-term systemic effects | 206 mg/kg  |
|                           | Consumers | Inhalation      | Long-term systemic effects | 114 mg/m3  |
|                           | Consumers | Ingestion       | Long-term systemic effects | 87 mg/kg   |

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

|                                                    |           |              |                            |              |
|----------------------------------------------------|-----------|--------------|----------------------------|--------------|
|                                                    | Consumers | Skin contact | Acute local effects        | 950 mg/m3    |
| Fatty acids, C12-18 and C18-unsatd.                | Workers   | Skin contact |                            | 10 mg/kg     |
|                                                    | Workers   | Inhalation   |                            | 17,632 mg/m3 |
| D-Glucopyranose, oligomers, decyl octyl glycosides | Workers   | Skin contact | Long-term systemic effects | 595000 mg/kg |
|                                                    | Workers   | Inhalation   | Long-term systemic effects | 420 mg/m3    |
|                                                    | Consumers | Skin contact | Long-term systemic effects | 357000 mg/kg |
|                                                    | Consumers | Inhalation   | Long-term systemic effects | 124 mg/m3    |
|                                                    | Consumers | Ingestion    | Long-term systemic effects | 35,7 mg/kg   |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                         | Environmental Compartment | Value       |
|------------------------------------------------------------------------|---------------------------|-------------|
| 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, trisodium salt, dihydrate | Fresh water               | 0,44 mg/l   |
|                                                                        | Marine water              | 0,044 mg/l  |
|                                                                        | STP                       | 1000 mg/l   |
|                                                                        | Fresh water sediment      | 34,6 mg/kg  |
|                                                                        | Marine sediment           | 3,46 mg/kg  |
|                                                                        | Soil                      | 33,1 mg/kg  |
| 2,2'-methyliminodiethanol                                              | Fresh water               | 1 mg/l      |
|                                                                        | Marine water              | 0,0045 mg/l |
|                                                                        | Fresh water               | 0,278 mg/l  |
|                                                                        | Marine water              | 0,0278 mg/l |
|                                                                        | Intermittent use/release  | 1 mg/l      |
|                                                                        | Fresh water sediment      | 2,17 mg/kg  |
|                                                                        | Marine sediment           | 0,217 mg/kg |

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

|                                                    |                      |             |
|----------------------------------------------------|----------------------|-------------|
|                                                    | Soil                 | 0,27 mg/kg  |
|                                                    | STP                  | 10 mg/l     |
| ethanol                                            | Fresh water          | 0,96 mg/l   |
|                                                    | Marine water         | 0,79 mg/l   |
|                                                    | Fresh water sediment | 3,6 mg/kg   |
|                                                    | Soil                 | 0,63 mg/kg  |
|                                                    | STP                  | 580 mg/l    |
|                                                    | intermittent release | 2,75 mg/l   |
| D-Glucopyranose, oligomers, decyl octyl glycosides | Fresh water          | 0,176 mg/l  |
|                                                    | Marine water         | 0,0176 mg/l |
|                                                    | intermittent release | 0,27 mg/l   |
|                                                    | STP                  | 560 mg/l    |
|                                                    | Fresh water sediment | 1,516 mg/kg |
|                                                    | Marine sediment      | 0,152 mg/kg |
|                                                    | Soil                 | 0,654 mg/kg |

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

## GREASE QUICKKLIKS

**WM 0714728**

**Order number: 0714728**

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.

Recommended Filter type:

ABEK-P3-filter

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                              |                                                                                   |
|------------------------------|-----------------------------------------------------------------------------------|
| Physical state               | : liquid                                                                          |
| Colour                       | : orange                                                                          |
| Odour                        | : characteristic                                                                  |
| Melting point/freezing point | : No data available                                                               |
| Boiling point/boiling range  | : No data available                                                               |
| Flammability (solid, gas)    | : No data available                                                               |
| Flammability (liquids)       | : Not classified as supporting combustion according to the transport regulations. |
| Lower explosion limit        | : No data available                                                               |
| Upper explosion limit        | : No data available                                                               |
| Flash point                  | : 83 °C                                                                           |
| Ignition temperature         | : No data available                                                               |
| Decomposition temperature    | : No data available                                                               |
| pH                           | : ca. 9,9, 100 %<br>at 20 °C                                                      |
| Viscosity, dynamic           | : No data available                                                               |
| Viscosity, kinematic         | : No data available                                                               |
| Water solubility             | : completely miscible                                                             |
| Solubility in other solvents | : No data available                                                               |

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

Partition coefficient: n-octanol/water : No data available  
Vapour pressure : No data available  
Density : ca. 1,045 g/cm<sup>3</sup> at 20 °C

Relative density : No data available  
Relative vapour density : No data available  
Particle characteristics : No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.  
Our company does not place any orders for animal testing for the finished product or the ingredients.  
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### Components:

#### **Alcohols, C12-14, ethoxylated (7 EO)**

##### **68439-50-9:**

- Acute oral toxicity : LD50 Oral (Rat): 300 - 2.000 mg/kg  
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

#### **2,2'-methyliminodiethanol**

##### **105-59-9:**

- Acute oral toxicity : LD50 (Rat): 4.680 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
LD50 (Rabbit): 5.990 mg/kg

#### **Decanol, ethoxylated**

##### **26183-52-8:**

- Acute oral toxicity : LD50 Oral: > 2.000 mg/kg

#### **ethanol**

##### **64-17-5:**

- Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401  
LD50 (Rat): 5.000 mg/kg  
Method: OECD Test Guideline 401  
Acute inhalation toxicity : LC50 (Rat): 51 mg/l  
Exposure time: 4 h  
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
LD50 Dermal (Rabbit): > 10.000 mg/kg  
Method: OECD Test Guideline 402

#### **D-Glucopyranose, oligomers, decyl octyl glycosides**

##### **68515-73-1:**

- Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

#### **Skin corrosion/irritation**

### Product:

- Remarks : May cause skin irritation in susceptible persons.

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### Components:

#### **2,2'-methyliminodiethanol**

##### **105-59-9:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **ethanol**

##### **64-17-5:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **D-Glucopyranose, oligomers, decyl octyl glycosides**

##### **68515-73-1:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

#### Product:

Remarks : Causes serious eye irritation.

Remarks : May cause irreversible eye damage.  
Causes serious eye irritation.

### Components:

#### **2,2'-methyliminodiethanol**

##### **105-59-9:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

#### **ethanol**

##### **64-17-5:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Mild eye irritation

#### **D-Glucopyranose, oligomers, decyl octyl glycosides**

##### **68515-73-1:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### Product:

Remarks : No data available

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### Components:

#### **2,2'-methyliminodiethanol**

##### **105-59-9:**

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Guinea pig                         |
| Method  | : | OECD Test Guideline 406            |
| Result  | : | Does not cause skin sensitisation. |

#### **ethanol**

##### **64-17-5:**

|        |   |                        |
|--------|---|------------------------|
| Result | : | Not a skin sensitizer. |
|--------|---|------------------------|

#### **D-Glucopyranose, oligomers, decyl octyl glycosides**

##### **68515-73-1:**

|         |   |                                    |
|---------|---|------------------------------------|
| Species | : | Guinea pig                         |
| Method  | : | OECD Test Guideline 406            |
| Result  | : | Does not cause skin sensitisation. |

#### **Germ cell mutagenicity**

|                        |   |           |
|------------------------|---|-----------|
| Germ cell mutagenicity | : | Not Rated |
|------------------------|---|-----------|

### Components:

#### **Alcohols, C12-14, ethoxylated (7 EO)**

##### **68439-50-9:**

|                       |   |                                          |
|-----------------------|---|------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Ames test<br>Result: negative |
|-----------------------|---|------------------------------------------|

#### **D-Glucopyranose, oligomers, decyl octyl glycosides**

##### **68515-73-1:**

|                       |   |                                                                             |
|-----------------------|---|-----------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Ames test<br>Method: OECD Test Guideline 471<br>Result: negative |
|-----------------------|---|-----------------------------------------------------------------------------|

|                 |   |           |
|-----------------|---|-----------|
| Carcinogenicity | : | Not Rated |
|-----------------|---|-----------|

|                       |   |           |
|-----------------------|---|-----------|
| Reproductive toxicity | : | Not Rated |
|-----------------------|---|-----------|

|                        |   |                                                                                                |
|------------------------|---|------------------------------------------------------------------------------------------------|
| STOT - single exposure | : | The substance or mixture is not classified as specific target organ toxicant, single exposure. |
|------------------------|---|------------------------------------------------------------------------------------------------|

|                          |   |                                                                                                  |
|--------------------------|---|--------------------------------------------------------------------------------------------------|
| STOT - repeated exposure | : | The substance or mixture is not classified as specific target organ toxicant, repeated exposure. |
|--------------------------|---|--------------------------------------------------------------------------------------------------|

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### Repeated dose toxicity

#### Components:

##### ethanol

##### 64-17-5:

Species : Rat, male  
NOAEL : > 20 mg/kg  
Method : OECD Test Guideline 403

Species : Rat, female  
NOAEL : 1.730 mg/kg  
Method : OECD Test Guideline 408

Aspiration toxicity : Not Rated

### 11.2 Information on other hazards

#### Further information

##### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14, ethoxylated

##### 68439-50-9:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 1 - 10 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

LC50 (Fish): > 1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1 - 10 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0,1 - 1 mg/l  
Exposure time: 72 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Bacteria): 140 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

Toxicity to soil dwelling organisms : 220 mg/kg  
Species: Eisenia fetida (earthworms)

Plant toxicity : 10 mg/l  
Species: Lepidium sativum (cress)  
Method: see user defined free text

### 2,2'-methyliminodiethanol

#### 105-59-9:

Toxicity to fish : (Leuciscus idus (Golden orfe)): 1.466 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 233 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 6,25 mg/l  
Exposure time: 72 h  
  
EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC20 (activated sludge): > 1.000 mg/l  
Exposure time: 0,5 h  
Method: OECD Test Guideline 209

### Decanol, ethoxylated

#### 26183-52-8:

Toxicity to fish : LC50 : 1 - 10 mg/l  
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 13,5 mg/l  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : (Desmodesmus subspicatus (green algae)): 12,0 mg/l  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC0 (Bacteria): > 100 mg/l

### ethanol

#### 64-17-5:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l  
Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l  
Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l  
Exposure time: 48 h  
EC50 : 5.012 mg/l
- Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition  
Method: No information available.  
EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l  
Exposure time: 168 h  
EC50 : 4.432 mg/l  
EC10 : 11,5 mg/l  
EC10 : 280 mg/l
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 11.800 mg/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test

### D-Glucopyranose, oligomers, decyl octyl glycosides

#### 68515-73-1:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l  
Exposure time: 96 h  
NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
NOEC (Daphnia magna (Water flea)): 1,0 mg/l
- Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 27,22 mg/l  
Exposure time: 72 h

### 12.2 Persistence and degradability

#### Product:

- Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

#### Components:

#### Alcohols, C12-14, ethoxylated (7 EO), Alcohols, C12-14. ethoxylated

#### 68439-50-9:

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

Method: OECD 301 A

Result: rapidly biodegradable

Biodegradation: > 60 %

Exposure time: 28 d

Method: OECD 301 B

### 2,2'-methyliminodiethanol

105-59-9:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 96 %  
Exposure time: 18 d  
Method: OECD 301 A

### Decanol, ethoxylated

26183-52-8:

Biodegradability : Biodegradation: 89 %  
Exposure time: 28 d  
Method: OECD 301 F

### ethanol

64-17-5:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Method: OECD Test Guideline 301

### D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Biodegradability : Result: rapidly biodegradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD 301 E

## 12.3 Bioaccumulative potential

### Components:

#### ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>In accordance with local and national regulations.                                                                                |
| Contaminated packaging | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.                                                                                                                                                               |
| Waste Code             | European Waste Catalogue<br>20 01 29*<br>According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. |

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

#### **ADR**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

#### **ADR**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### 14.4 Packing group

#### **ADR**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

### 14.5 Environmental hazards

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

### ADR

Not dangerous goods

### IMDG

Not regulated as a dangerous good

### IATA

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

|    | Quantity 1                                                                                                                                                                                                                    | Quantity 2    |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 34 | Petroleum products: (a) 2.500 000067<br>gasolines and naphthas, (b)<br>kerosenes (including jet fuels),<br>(c) gas oils (including diesel<br>fuels, home heating oils and<br>gas oil blending streams),(d)<br>heavy fuel oils | 25.000 000067 |

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: < 0,01 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,92 %  
113,37 g/l  
VOC content excluding water

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,92 %  
30,49 g/l  
VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : 5 - <15% non-ionic surfactants, perfumes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## GREASE QUICKKLIKS

WM 0714728

Order number: 0714728

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

GISBAU (D) : GU 80

### 15.2 Chemical safety assessment

#### SECTION 16: Other information

##### Full text of H-Statements

|      |                                                      |
|------|------------------------------------------------------|
| H225 | : Highly flammable liquid and vapour.                |
| H302 | : Harmful if swallowed.                              |
| H318 | : Causes serious eye damage.                         |
| H319 | : Causes serious eye irritation.                     |
| H412 | : Harmful to aquatic life with long lasting effects. |

##### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Acute Tox.      | : Acute toxicity                     |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Dam.        | : Serious eye damage                 |
| Eye Irrit.      | : Eye irritation                     |
| Flam. Liq.      | : Flammable liquids                  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

##### Further information

##### Classification of the mixture:

Eye Irrit. 2 H319

##### Classification procedure:

On basis of test data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## GREASE QUICKKLIKS

**WM 0714728**

**Order number: 0714728**

Version 5.12

Revision Date 13.03.2025

Print Date 21.10.2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

500000004313