



WATER RECOVERY TANKS KRS WREC-1000



CHARACTERISTICS

EFFICIENCY

- · Up to 70% water savings.
- Up to 40% energy savings.
- · Savings in detergents.

EASY INSTALLATION & MAINTENANCE

- Easy connection with 1" valve.
- · Self cleaning programs.
- · The tanks have holes to be able to fix them to the ground.

OTHERS

- 1, 2 or 3 tanks of 1000 litres each.
- One or more washing machines can be connected to be able to reuse the washing water.
- · Sold separately.
- · No external panels, just the frame.

OPTIONS

- Connection kit 1' from barriers LBS-27/35/50/70/100 to WREC-1000.
- Connection kit 1' from washers LA/LN-35C/45C/45C/60C/80C to WREC-1000.
- Connection kit 1' from washers LA-100C/120C to WREC-1000.
- Raised platform.
 Mounting accessories kit.

MACHINES THAN CAN BE CONNECTED

Up to 8 of 35/45 kg washers Up to 4 of 60/80 kg washers Up to 3 of 100/120 kg washers



TECHNICAL DATA WATER RECOVERY TANKS | KRS | WREC-1000

	U.	WREC-1000
TANKS		
Tanks	I	1000
Washers capacities: front / barrier	Kg	35, 45, 60, 80, 100, 120 / 27, 35, 50, 70, 100
External panels	-	skinplate
Tank material	-	polyethylene
CONNECTIONS		
Water inlet	inch	1"
Water outlet	inch	1"
Ø Fumes outlet	mm	70
Ø Drain	inch	1"
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	mm	702 / 785
Net depth / Gross depth	mm	1.375 / 1.450
Net height / Gross height	mm	2.206 / 2.262
Net weight / Gross weight	Kg	147 / 173







